



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/814,982	03/30/2004	Valery M. Dubin	043395-0377973	8631

86175 7590 06/07/2010
Pillsbury Winthrop Shaw Pittman LLP
(INTEL)
P.O. Box 10500
McLean, VA 22102

EXAMINER

JUNG, UNSU

ART UNIT	PAPER NUMBER
----------	--------------

1641

NOTIFICATION DATE	DELIVERY MODE
-------------------	---------------

06/07/2010

ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

docket_ip@pillsburylaw.com

Office Action Summary	Application No. 10/814,982	Applicant(s) DUBIN ET AL.	
	Examiner UNSU JUNG	Art Unit 1641	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 01 March 2010.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-5, 7-16, 19-21 and 54-59 is/are pending in the application.
- 4a) Of the above claim(s) 5 is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-4, 7-16, 19-21 and 54-59 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 03 August 2007 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Response to Amendment

1. Applicant's amendments in the reply filed on March 1, 2010 have been acknowledged and entered. The reply included amendments to claims 1, 14, and 57.

Status of Claims

2. Claims 1-5, 7-16, 19-21, and 54-59 are pending, claim 5 has been previously withdrawn from consideration, and claims 1-4, 7-16, 19-21, and 54-59 are currently under consideration for patentability under 37 CFR 1.104.

Priority

3. The instant application has a filing date of March 30, 2004 and does not claim for the benefit of a prior-filed application.

Rejections Withdrawn

4. The following prior art rejections have been withdrawn in view of amended claims 1 and 14 in the reply filed on July 20, 2009:

- Rejection of claims 1-4, 7-12, 19-21, 54, 56, and 57 under 35 U.S.C. 103(a) as being unpatentable over Li (WO 02/031463 A2, Apr. 18, 2002) in view of DeNuzzio et al. (WO 2004/001404 A1, published on December 31, 2003 and filed on June 19, 2003), Chazalviel et al. (*Applied*

Spectroscopy, 1993, Vol. 47, pp1411-1416), and Yoshida et al. (JP 07-184883 A, July 25, 1995);

- Rejection of claim 13 under 35 U.S.C. 103(a) as being unpatentable over Li (WO 02/031463 A2, Apr. 18, 2002) in view of DeNuzzio et al. (WO 2004/001404 A1, published on December 31, 2003 and filed on June 19, 2003), Chazalviel et al. (*Applied Spectroscopy*, 1993, Vol. 47, pp1411-1416), and Yoshida et al. (JP 07-184883 A, July 25, 1995), and further in view of Dai et al. (U.S. Patent No. 6,528,020, Mar. 4, 2003);
- Rejection of claims 14-16, 55, and 58 under 35 U.S.C. 103(a) as being unpatentable over Li (WO 02/031463 A2, Apr. 18, 2002) in view of DeNuzzio et al. (WO 2004/001404 A1, published on December 31, 2003 and filed on June 19, 2003), Ito (U.S. Patent No. 5,384,028, Jan. 24, 1995), and Girault et al. (U.S. Patent No. 5,512,489, Apr. 30, 1996); and
- Rejection of claim 59 under 35 U.S.C. 103(a) as being unpatentable over Li (WO 02/031463 A2, Apr. 18, 2002) in view of DeNuzzio et al. (WO 2004/001404 A1, published on December 31, 2003 and filed on June 19, 2003), Ito (U.S. Patent No. 5,384,028, Jan. 24, 1995), and Girault et al. (U.S. Patent No. 5,512,489, Apr. 30, 1996), and further in view of Torch (U.S. Patent No. 6,163,281, Dec. 19, 2000) and Wohlstadter et al. (U.S. Patent No. 6,090,545, July 18, 2000).

Claim Objections

5. Claims 1 and 14 are objected to because of the following informalities: the phrase “wherein the plurality of addressable cells are configured to function as a memory cell array” in the amended limitation should be corrected to “wherein the plurality of addressable cells is configured to function as a memory cell array.” Appropriate correction is required.

Claim Rejections - 35 USC § 103

6. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

7. The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

1. Determining the scope and contents of the prior art.
2. Ascertaining the differences between the prior art and the claims at issue.
3. Resolving the level of ordinary skill in the pertinent art.
4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

8. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

9. Claims 1-4, 7-12, 19-21, 54, 56, and 57 are rejected under 35 U.S.C. 103(a) as being unpatentable over Li (WO 02/031463 A2, Apr. 18, 2002) in view of DeNuzzio et al. (WO 2004/001404 A1, published on December 31, 2003 and filed on June 19, 2003) (hereinafter "DeNuzzio"), Chazalviel et al. (*Applied Spectroscopy*, 1993, Vol. 47, pp1411-1416) (hereinafter "Chazalviel"), Yoshida et al. (JP 07-184883 A, July 25, 1995) (hereinafter "Yoshida"), and Kuhr et al. (U.S. PG Pub. No. US 2003/0082444 A1, published May 1, 2003 and filed Oct. 26, 2001) (hereinafter "Kuhr").

Li teaches an apparatus comprising a condensed array addressed device (see entire document, particularly p8) including a plurality of addressable cells (p8, Detailed Description of the Invention, 1st paragraph), each of the plurality of addressable cells including at least two electrodes (reference elements 1 and 5 in Fig. 2; reference elements 1 and 3 in Fig.'s 1 and 3; and reference elements 3 and 4 in Fig. 5); and a spectroscope optically coupled to the condensed array addressed device (p34, last

paragraph and p35). The apparatus of Li further includes microfluidic trench for containing one or more target molecules (reference element 7 in Fig.'s 1 and 3 and p39, 1st paragraph) and a self-assembled monolayer (p17, 1st full paragraph and p23, last paragraph), which reads on the claimed limitation of "a self-assembled interlayer configured to modulate a coverage on the electrodes."

With respect to the limitation of "electrodes having structures and/or charge distributions similar to the target molecule" as recited in claim 1, Li teaches that electrodes further comprises probe molecules that specifically bind to interact with target molecules (p4, last paragraph-p5, 1st paragraph) and that the probe molecules can include nucleotide sequence, which hybridizes with a target DNA (molecular recognition, p12, 2nd paragraph).

With respect to claims 8 and 9, Li teaches that the plurality of addressable cells includes an individually addressable cell, which includes a first individually addressable electrode and a second individually addressable electrode (p8, Detailed Description of the Invention, 1st paragraph).

With respect to claims 10-12, Li teaches that spacing between the electrodes is less than 1 μm (p17, 5th paragraph). Li further teaches that cross-dimensions of microchannels, in which the electrodes are located, are in the order of 0.1 to 500 μm (p19, 1st paragraph and Fig. 9C). Therefore, one of ordinary skill in the art would recognize that the electrodes located within the microchannels would have less than 100 nm in size since the electrodes contained within the microchannels would necessarily have to be less than the cross-dimensions of microchannels.

With respect to claim 19, Li teaches an apparatus, further comprising a microfluidic channel coupled to at least one of the addressable cells (p18, last paragraph and p19, 1st paragraph).

With respect to claims 20 and 21, Li teaches an apparatus, further comprising selective membranes (porous polymeric pads), which includes chemically and biologically selective membranes (p5, last paragraph).

With respect to claim 54, Li teaches a target molecule comprising DNA (p12, 2nd paragraph).

With respect to claim 56, Li teaches that the electrodes are solid state electrodes (p3, Summary of the Invention, 3rd paragraph).

Li further teaches that a variety of detection methods can be used with the condensed array addressed device including optical detection methods capable of detecting spectral changes upon changes in redox state including fluorescence, phosphorescence, luminescence, chemiluminescence, electrochemiluminescence, and refractive index detection methods.

However, Li does not specifically teach that two different detection means, electrochemical and optical (spectroscope), are coupled to the array device. Li further does not specifically teach an apparatus further comprising a waveguide, which includes a total internal reflection prism, wherein the spectroscope is optically coupled to the total internal reflection prism and that the plurality of addressable cells are configured to function as a memory cell array.

DeNuzzio teaches microfabricated sensors with multiple working electrodes coupled to both optical and electrochemical detection means allowing the combination of the multiplexed electrochemical detection with optical detection in a single planar microcell (see entire document, particularly Abstract and p5, paragraph [0014]). The combination of various electrochemical, photometric, and other measurement results in a powerful analytical tool capable of measuring multiple properties of an analyte, as well as properties of multiple analytes simultaneously (p9, paragraph 0030]).

With respect to claims 1-3, Chazalviel teaches Fourier Transform (FT)-infrared (IR) spectroscopy, which is a well-known spectral detection method at the electrochemical interfaces (entire document, particularly p1416, *Conclusion*). The advantages of FT-IR spectroscopy are well known (p1416, *Conclusion*). The advantages include good sensitivity and ability to smoothly extract varying contributions due to electronic absorptions and to obtain spectra as complex quantities, which is of considerable help in the identification of the vibration signals and in their ascription to one or the other of the many possible electrochemical processes (p 1416, *Conclusion*).

With respect to claims 1 and 7, Yoshida teaches an optical system comprising FT-IR spectroscopy and an ATR (attenuated total internal reflection) prism, which provides infrared rays to infrared analysis equipment such as FT-IR spectroscopy (see entire translated document, particularly Abstract and paragraph [0005]).

Kuhr teaches that array of electrodes are useful for the production of electrochemical memory devices, sensors, and the like (see entire document, particularly p6, paragraph [0086]).

Therefore, it would have been *prima facie* obvious to one of ordinary skill in the art at the time of the invention to employ combination of both optical and electrochemical detectors of Li as taught by DeNuzzio in order to allow a combination of multiplexed electrochemical detection with optical detection in a single device.

The advantage of allowing a combination of multiplexed electrochemical detection with optical detection in a single device provides the motivation to combine teachings of Li and DeNuzzio since the combination of various electrochemical, photometric, and other measurement results in a powerful analytical tool capable of measuring multiple properties of an analyte, as well as properties of multiple analytes simultaneously. One of ordinary skill in the art would have had a reasonable expectation of success in employing the combination of both optical and electrochemical detectors in the device of Li since DeNuzzio teaches that simultaneous detection of both optical and electrochemical signals is possible with the combination of the multiplexed electrochemical detection with optical detection.

Further, it would have been *prima facie* obvious to one of ordinary skill in the art at the time of the invention to employ the FT-IR spectroscopy of Chazalviel in the apparatus of Li in view of DeNuzzio in order to provide a spectral detection device at the electrochemical interfaces of the condensed array addressed device of Li in view of DeNuzzio for optical detection of biomolecular interactions.

The advantage of employing a sensitive detection device, which facilitates spectra information in complex quantities, provides the motivation to employ the FT-IR spectroscopy of Chazalviel in the apparatus of Li in view of DeNuzzio with a reasonable

Art Unit: 1641

expectation of success since the FT-IR spectroscopy is capable of smoothly extracting varying contributions due to electronic absorptions and obtaining spectra in complex quantities permitting identification of the vibration signals.

In addition, it would have been *prima facie* obvious to one of ordinary skill in the art at the time of the invention to select FT-IR spectroscopy as a detection system, since it has been held to be within the general skill of a worker in the art to select a known material on the basis of its suitability for the intended use as a matter of design choice. *In re Leshin*, 125 USPQ 416. Because the claimed apparatus is known in the prior art and has been disclosed as being used with a spectroscope in general, the selection of a specific type of a spectroscope in itself does not present a novel feature of the claimed invention. Since one of ordinary skill in the art at the time of the invention would recognize that a plurality of different types of detection system can be used in the apparatus of Li in view of DeNuzzio for detection of biomolecular interactions based on the same principle of detecting electrochemical species, it would have been obvious to employ a FT-IR spectroscopy as a detection system in the instant claims.

Moreover, it would have been *prima facie* obvious to further include a total internal reflection prism (waveguide), which is optically coupled to the FT-IR spectroscope as taught by Yoshida in the apparatus of Li in view of DeNuzzio and Chazalviel as it is generally known to use total internal reflection prisms in order to provide infrared rays to FT-IR spectroscope. Since the FT-IR spectroscopy of Yoshida can be coupled to the electrochemical interfaces of the condensed array addressed device of Li as set forth above and the electrochemical interfaces of Li DeNuzzio and

Art Unit: 1641

Chazalviel includes a microfluidic trench containing addressable cells having at least two electrodes, the combined teachings of Li, DeNuzzio, Chazalviel, and Yoshida meet the amended feature of "the waveguide total internal reflection prism is coupled to the microfluidic trench."

Finally, it would have been *prima facie* obvious to one of ordinary skill in the art at the time of the invention to use the array of electrodes (the plurality of addressable cells containing electrodes) of Li in view of DeNuzzio, Chazalviel, and Yoshida as memory cell array as taught by Kuhr in order to employ the electrode array for both sensing and memory purposes. The advantage of using the same device for dual purpose provides the motivation to combine teachings of Li in view of DeNuzzio, Chazalviel, and Yoshida and Kuhr with a reasonable expectation of success.

With respect to claim 4, the limitation of "the infrared spectroscopy is electromodulated by applying potential between the at least two electrodes in at least one of the plurality of cells" is a recitation of the intended use of the claimed invention and must result in a structural difference between the claimed invention and the prior art in order to patentably distinguish the claimed invention from the prior art. If the prior art structure is capable of performing the intended use, then it meets the claim. The apparatus of Li in view of DeNuzzio, Chazalviel, Yoshida, and Kuhr meets all the structural limitation of claim 4 and would therefore be capable of performing the intended use limitation above. Further, Li teaches that a potential is applied between the two electrodes in the plurality of cells (p34, 4m paragraph).

With respect to claim 57, the recitation that the apparatus is configured to sense a change in a rate of electrolysis is not a positive limitation but only requires the ability to so perform. It does not constitute a limitation in any patentable sense. *In re Hutchison*, 69 USPQ 138 (CCPA 1946); *In re Swinehart*, 169 USPQ 226 (CCPA 1971); and *In re Schreiber*, 44 USPQ2d 1429 (Fed. Cir. 1997). A patent applicant is free to recite features of an apparatus either structurally or functionally. See *In re Swinehart*, 439 F.2d 210, 212, 169 USPQ 226, 228 (CCPA 1971) (“ [T]here is nothing intrinsically wrong with [defining something by what it does rather than what it is] in drafting patent claims.”). Yet, choosing to define an element functionally, i.e., by what it does, carries with it a risk. As our predecessor court stated in *In re Swinehart*, 439 F.2d at 213, 169 USPQ at 228:

where the Patent Office has reason to believe that a functional limitation asserted to be critical for establishing novelty in the claimed subject matter may, in fact, be an inherent characteristic of the prior art, it possesses the authority to require the applicant to prove that the subject matter shown to be in the prior art does not possess the characteristic relied on

Therefore, the feature of “the apparatus is configured to sense a change in a rate of electrolysis” would be an inherent/intrinsic characteristic of the apparatus of Li in view of DeNuzzio, Chazalviel, Yoshida, and Kuhr since the apparatus of Li in view of DeNuzzio, Chazalviel, Yoshida, and Kuhr meets all the structural limitations of the claimed invention.

10. Claim 13 is rejected under 35 U.S.C. 103(a) as being unpatentable over Li (WO 02/031463 A2, Apr. 18, 2002) in view of DeNuzzio (WO 2004/001404 A1, published on

Art Unit: 1641

December 31, 2003 and filed on June 19, 2003), Chazalviel (Applied Spectroscopy, 1993, Vol. 47, pp1411-1416), Yoshida (JP 07-184883 A, July 25, 1995), and Kuhr (U.S. PG Pub. No. US 2003/0082444 A1, published May 1, 2003 and filed Oct. 26, 2001) as applied to claims 1 and 10 above, and further in view of Dai et al. (U.S. Patent No. 6,528,020, Mar. 4, 2003) (hereinafter "Dai").

Li in view of DeNuzzio, Chazalviel, Yoshida, and Kuhr teaches an apparatus comprising a condensed-array addressed device and an optically coupled spectroscope as set forth above. Li further teaches that each of the pair of electrodes includes carbon nanotubes (p23, 3rd paragraph). However, Li in view of DeNuzzio, Chazalviel, Yoshida, and Kuhr does not specifically teach that each of the pair of electrodes includes single-walled carbon nanotubes or silicon nanowires.

Dai teaches chemical/biological sensors comprising electrochemical nanotube devices, which demonstrate significant and robust response and more significantly tunable selectivity to chemical or biological species in their environments (see entire document). The nanotube is generally single-walled carbon nanotube or silicon nanotubes (nanowires, column 2, lines 21-27 and column 4, lines 17-22).

Therefore, it would have been *prima facie* obvious to one of ordinary skill in the art at the time of the invention to specifically employ single-walled carbon nanotubes or silicon nanowires of Dai as the nanotubes associated with the pair of electrodes of Li in view of DeNuzzio, Chazalviel, Yoshida, and Kuhr, as it is well known that the electrochemical nanotube devices demonstrate significant and robust response and

Art Unit: 1641

more significantly tunable selectivity to chemical or biological species in their environments.

In addition, it would have been *prima facie* obvious to one of ordinary skill in the art at the time of the invention to select single-walled carbon nanotubes or silicon nanowires as a layer covering the electrodes of the condensed array addressed device, since it has been held to be within the general skill of a worker in the art to select a known material on the basis of its suitability for the intended use as a matter of design choice. *In re Leshin*, 125 USPQ 416. Because the claimed apparatus is known in the prior art and has been disclosed as being capable of being used with carbon nanotubes in general, the selection of a specific type of a nanotube/nanowire in itself does not present a novel feature of the claimed invention. Since one of ordinary skill in the art at the time of the invention would recognize that a plurality of different types of nanotubes/nanowires can be used in the apparatus of Li in view of DeNuzzio, Chazalviel, Yoshida, and Kuhr for detection of biomolecular interactions based on the same principle of detecting electrochemical species, it would have been obvious to employ a single-walled carbon nanotubes or silicon nanowires in the instant claims.

11. Claims 14-16, 55, and 58 are rejected under 35 U.S.C. 103(a) as being unpatentable over Li (WO 02/031463 A2, Apr. 18, 2002) in view of DeNuzzio (WO 2004/001404 A1, published on December 31, 2003 and filed on June 19, 2003), Kuhr (U.S. PG Pub. No. US 2003/0082444 A1, published May 1, 2003 and filed Oct. 26,

2001), and Girault et al. (U.S. Patent No. 5,512,489, Apr. 30, 1996) (hereinafter “Girault”).

Li teaches an apparatus comprising a condensed array addressed device (see entire document, particularly p8) including a plurality of addressable cells (p8, Detailed Description of the Invention, 1st paragraph), each of the plurality of addressable cells including at least two electrodes (reference elements 1 and 5 in Fig. 2; reference elements 1 and 3 in Fig.'s 1 and 3; and reference elements 3 and 4 in Fig. 5); and a spectroscope optically coupled to the condensed array addressed device (p34, last paragraph and p35). The apparatus of Li further includes microfluidic trench for containing one or more target molecules (reference element 7 in Fig.'s 1 and 3 and p39, 1st paragraph) and a self-assembled monolayer (p17, 1st full paragraph and p23, last paragraph), which reads on the claimed limitation of “a self-assembled interlayer configured to modulate a coverage on the electrodes.”

With respect to claim 14, Li teaches that the plurality of addressable cells define a plurality of sensor elements configured as an array, wherein each of the sensor elements is functionalized to interact with one or more target molecules (p23, 2nd -7th paragraphs); and further comprising control circuitry coupled to the sensor elements, wherein the control circuitry is configured to detect interactions of the sensors with the target molecules (p24, 4th paragraph). The addressable cells of Li contain a first electrode and a second electrode (reference elements 1 and 3 in Fig.'s 1 and 3; and reference elements 3 and 4 in Fig. 5), wherein the first tip of the first electrode and the second tip of the second electrode are located in the microfluidic trench (Fig.'s 1 and 3).

Art Unit: 1641

The first electrode and the second electrode are each coupled to first and second traces (input and outputs) via first and second conductive plugs, respectively (Fig. 5 and p17, 2nd paragraph). With respect to the limitation of "electrodes having structures and/or charge distributions similar to the target molecule" as recited in claim 14, Li teaches that electrodes further comprises probe molecules that specifically bind to interact with target molecules (p4, last paragraph-p5, 1st paragraph) and that the probe molecules can include nucleotide sequence, which hybridizes with a target DNA (molecular recognition, p12, 2nd paragraph).

With respect to claims 15 and 16, Li teaches the plurality of sensor elements configured as a two-dimensional high-density array (p39, 3rd paragraph), which are addressable by corresponding rows and columns.

With respect to claim 55, Li teaches a target molecule comprising DNA (p12, 2nd paragraph).

With respect to claim 58, Li teaches a signal amplifier (p37, 3rd paragraph).

Li further teaches that a variety of detection methods can be used with the condensed array addressed device including optical detection methods capable of detecting spectral changes upon changes in redox state including fluorescence, phosphorescence, luminescence, chemiluminescence, electrochemiluminescence, and refractive index detection methods. However, Li does not specifically teach that two different detection means, electrochemical and optical (spectroscope) detectors are coupled to the array device. Li further teaches that other electronic components can be added to the apparatus including circuitry that allows signal processing (p24, 4th

Art Unit: 1641

paragraph). However, Li is silent that the plurality of addressable cells is configured to function as a memory cell array. The apparatus of Li includes an array addressed device in a microarray format as set forth above. Although the microarray format of Li would allow the apparatus of Li to be hand-held, Li fails to explicitly teach that the apparatus is a hand-held device.

DeNuzzio teaches microfabricated sensors with multiple working electrodes coupled to both optical and electrochemical detection means allowing the combination of the multiplexed electrochemical detection with optical detection in a single planar microcell (see entire document, particularly Abstract and p5, paragraph [0014]). The combination of various electrochemical, photometric, and other measurements results in a powerful analytical tool capable of measuring multiple properties of an analyte, as well as properties of multiple analytes simultaneously (p9, paragraph 0030]).

Kuhr teaches that array of electrodes are useful for the production of electrochemical memory devices, sensors, and the like as set forth above.

Girault teaches a device which need not be laboratory bound (see entire document, particularly column 3, lines 52-57). The device is a multi-heavy metal ion detector directed essentially at in-the-field measurement which may be used as a portable hand-held device or form part of a remote sensing network (column 3, lines 52-57). The device of Girault et al. electroanalysis can be easily adapted to enzyme chemistry or/and immunochemistry for use as a biosensor (column 7, lines 12-20).

Therefore, it would have been *prima facie* obvious to one of ordinary skill in the art at the time of the invention to employ a combination of both optical and

electrochemical detectors of Li as taught by DeNuzzio in order to allow a combination of multiplexed electrochemical detection with optical detection in a single device.

The advantage of allowing a combination of multiplexed electrochemical detection with optical detection in a single device provides the motivation to combine teachings of Li and DeNuzzio since the combination of various electrochemical, photometric, and other measurement results in a powerful analytical tool capable of measuring multiple properties of an analyte, as well as properties of multiple analytes simultaneously.

Further, one of ordinary skill in the art would have had a reasonable expectation of success in employing the combination of both optical and electrochemical detectors in the device of Li since DeNuzzio teaches that simultaneous detection of both optical and electrochemical signals is possible with the combination of the multiplexed electrochemical detection with optical detection.

In addition, it would have been *prima facie* obvious to one of ordinary skill in the art at the time of the invention to use the array of electrodes (the plurality of addressable cells containing electrodes) of Li in view of DeNuzzio as memory cell array as taught by Kuhr in order to employ the electrode array for both sensing and memory purposes.

The advantage of using the same device for dual purpose provides the motivation to combine teachings of Li in view of DeNuzzio and Kuhr with a reasonable expectation of success.

Although Li in view of DeNuzzio and Kuhr fails to explicitly teach that the apparatus is a hand-held device, one of ordinary skill in the art at the time of the

Art Unit: 1641

invention would have been motivated to construct the apparatus of Li in view of DeNuzzio and Kuhr in a hand-held device format with a reasonable expectation of success since Girault teaches that electrode array biosensor devices can be used as a portable hand-held device, which need not be laboratory bound and has the advantage of allowing in-the-field measurements.

12. Claim 59 is rejected under 35 U.S.C. 103(a) as being unpatentable over Li (WO 02/031463 A2, Apr. 18, 2002) in view of DeNuzzio (WO 2004/001404 A1, published on December 31, 2003 and filed on June 19, 2003), Kuhr (U.S. PG Pub. No. US 2003/0082444 A1, published May 1, 2003 and filed Oct. 26, 2001), and Girault (U.S. Patent No. 5,512,489, Apr. 30, 1996) as applied to claim 14 above, and further in view of Torch (U.S. Patent No. 6,163,281, Dec. 19, 2000) and Wohlstadter et al. (U.S. Patent No. 6,090,545, July 18, 2000) (hereinafter "Wohlstadter").

Li in view of DeNuzzio, Kuhr, and Girault teaches an apparatus comprising a condensed-array addressed device and an optically coupled spectroscope as set forth above. However, Li in view of DeNuzzio, Kuhr, and Girault fails to teach an apparatus further comprising a video display.

Torch teaches that data may be displayed graphically on a computer of video screen or other electronic display device (see entire document, particularly column 8, lines 13-29).

Wohlstadter teaches that signal processing means such as a digital computer can be used for transferring, recording, analyzing and/or displaying the results of assays (see entire document, particularly column 42, lines 59-63).

Therefore, it would have been *prima facie* obvious to one of ordinary skill in the art at the time of the invention to employ a computer of Torch with a video screen/display in the apparatus of Li in view of DeNuzzio, Kuhr, and Girault in order to use the computer for transferring, recording, analyzing and/or displaying the results of assays. The advantage of allowing the transfer, recording, analysis and/or displaying of the assay results provides the motivation to combine teachings of Li in view of DeNuzzio, Kuhr, and Girault and Torch with a reasonable expectation of success since Wohlstadter teaches that signal processing means such as a digital computer can be used for transferring, recording, analyzing and/or displaying the results of assays.

Response to Arguments

13. Applicant's arguments with respect to claims 1-4, 7-16, 19-21, and 54-59 have been considered but are moot in view of the new ground(s) of rejection.

Since the prior art fulfills all the limitations currently recited in the claims, the invention as currently recited would read upon the prior art.

Conclusion

14. No claim is allowed.

Art Unit: 1641

15. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

16. Any inquiry concerning this communication or earlier communications from the examiner should be directed to UNSU JUNG whose telephone number is (571)272-8506. The examiner can normally be reached on M-F: 9-5.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mark Shibuya can be reached on 571-272-0806. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 1641

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Unsu Jung/
Unsu Jung
Primary Examiner
Art Unit 1641